



#### Introducing the 2007 line of Diamondback / DBR bicycles.

+ -----


It's hard to believe that it's already been a year since we introduced our 2006 line of Diamondback / DBR bicycles. The time has been short, but we've made good use of it by improving upon existing models (that were already great to begin with) and by coming up with some incredible new ones too. Bikes for specific purposes and places, for people like you - with specific needs and desires.

We welcome you now to take a look at our 2007 line. You'll see that each model is a statement of our commitment to our customers – bicycle riders of all types and ages who are serious about riding, making the most of life and having fun. Whether you're a rider who enjoys stopping to smell the flowers or you prefer jumping over them or riding past them so quickly they become nothing more than a streak of color in your peripheral vision, there's a good chance we've got the right bike for you within the following pages.

#### Contents

+	+
ALL MOUNTAIN	02
DIRT JUMPING HARDTAIL	12
ALL MOUNTAIN HARDTAIL	14
MOUNTAIN RECREATION	18
DBR ROAD	22
WOMEN'S SPECIFIC DBR ROAD	28
WOMEN'S SPECIFIC FLAT BAR ROAD	30
FLAT BAR ROAD	30
COMMUTER	32
HYBRID	34
COMFORT	38
CRUISER	44
KIDS CRUISER	49
JUNIOR MOUNTAIN	52
YOUTH SIDEWALK	55
GEOMETRY	58
SPECIFICATIONS	60
WARRANTY	65


© 2006 Diamondback Bicycles Diamondback is a registered trademark of Raleigh Cycle Limited





It is with great pride that we introduce the all new Mission. The Mission is a bike that puts the 'all' in 'all mountain' and the 'mountain' back in 'mountain bike'. It is an incredibly versatile, nimble, efficient and stable all-mountain bike with 6 silky-smooth inches of terraininitiated travel. The Mission is a true all mountain bike with no bias for type of mountain riding or direction it goes. Its efficient Knuckle Box suspension design coupled to a Fox shock allows it to climb like a goat and descend with the same confidence and stability as its 6 inches of travel come to life. Its extremely low center of gravity make it very stable. Whether it's creeping through the most technical section on the trail, climbing or railing wide open through flowy single track – the Mission is one bike that does it all. The Mission is a three bike series that are all built on the same lightweight, efficient, and torsionally rigid frame platform. They all suit your all-mountain riding needs; find the one that also suits your budget and let the good times roll.





## The Diamondback Mission

For the Diamondback Design Team, MISSION was more than a model name – they were literally on a "mission" to create a new dual-suspension design that would put Diamondback back at the forefront of mountain bike design – MISSION accomplished!



At the heart of the new MISSION is the Knuckle Box bell-crank. With its compact design and welded uni-body construction, the Knuckle Box ties the rear suspension together, cradles and guards the FOX air suspension unit while providing a smooth near-linear leverage ratio through the entire six inches of travel. It also gives the MISSION a lower center of gravity than most all-mountain designs. The Knuckle Box is truly the "heart" of the design.

If the Knuckle Box is the heart, then the MISSION's front triangle is the backbone. The low-slung "hooded" top tube wraps and reinforces the head tube and provides more stand over clearance, and an uninterrupted seat tube that eliminates the need to cut seat posts the MISSION front triangle is strong, light and stiff.

The MISSION's rear end features chain stays joined with a CNC'd yoke, a seat stay assembly reinforced with a unique inverse arch bridge, and press fit sealed bearings at all pivot locations. By joining these assemblies to the MISSION front triangle and Knuckle Box, the Diamondback Design Team has created a six-inch travel all-mountain bike with a low center of gravity, plenty of stand over clearance, and a ride quality that magazine test editors have described as "awesome, nimble" and "just plain fun"! We couldn't have said it better ourselves.

+

# Mission 3 All MOUNTAIN

- Mission 6" All-Mountain Frame w/ Knuckle Box Rear Suspension, Hooded Hydroformed Top Tube & Sealed Cartridge Bearing Pivots
- Rockshox Pike 454 140mm Dual Air Fork w/ Motion Control Damping, Lockout, Tunable Rebound / Compression & Maxle 20mm
- QR Through axle
- Fox Float RP23 Rear Shock

 Hayes HFX-9 Carbon Hydraulic Disc Brakes w/ V7" / V6" rotors
 Truvativ Stylo SL GXP Crankset w/ 44/32/22t Rings & External Bearing Bottom Bracket

• Easton Vice All Mountain Stem / Monkey Lite XC Carbon Bar

• Sram X-9 9-spd Trigger Shifters

• Sram X-9 9-spd Rear Derailleur

Sizes: SM (15.5"), MD (17"), LG (19")

Color: Fog Grey Annodized (M)



# Mission 2 ALL MOUNTAIN

- Mission 6" All-Mountain Frame w/ Knuckle Box Rear Suspension , Hooded Hydroformed Top Tube & Sealed Cartridge Bearing Pivots
- Fox Float RL 140mm Air Fork w/ Lockout & Tunable Rebound / Compression
- Fox Float R Rear Shock
- Hayes HFX-9 Hydraulic Disc Brakes w/ V7" / V6" rotors
- Truvativ Fire-X GXP Crankset w/ 44/32/22t Rings & External Bearing Bottom Bracket

• Sram X-7 9-spd Trigger Shifters

• Sram X-9 9-spd Rear Derailleur

Easton Vice All Mountain Stem

• Easton EA50 Bar / Seat Post

- Sizes: SM (15.5"), MD (17"), LG (19")
- Color: Blackin' Black (M)



#### 

- Mission 6" All-Mountain Frame w/ Knuckle Box Rear Suspension, Hooded Hydroformed Top Tube & Sealed Cartridge Bearing Pivots
- Rockshox Tora Air 130mm Fork w/ Motion Control Damping
- Fox Float R Rear Shock
- Hayes Sole Hydraulic Disc Brakes w/ V7" / V6" rotors
- Shimano Deore 9-spd Rapid Fire Shifters

- Truvativ Blaze Crankset w/ 44/32/22t Rings & Powerspline Sealed
- Bottom Bracket
- Shimano LX 9-spd Rear Derailleur
  Easton EA30 Stem / Bar
- Sun Ditch Witch Double Wall Rims
- Kenda Nevegal 26x 2.35 Tires

Sizes: SM (15.5"), MD (17"), LG (19")

Color: Grey Sky (M)





Our XSL and Coil all mountain bikes are without question some of the most versatile and functional mountain bikes available. They are bikes made for true adventures and adventurers – who need one bike they can ride the whole mountain with. Each XSL features a butted frame with tapered seat stays, sealed bearing pivots and 4.5 / 5" travel options. The completely redesigned Coil EX offers 4.5" of travel, "Strongbox" top / down tubes and sealed bearing pivots. Both the XSL models and the more practical Coil EX are nicely equipped with smooth-operating reliable components from brands you can trust.

#### XSL Trail ALL MOUNTAIN

- +-----+ Sizes: SM (16"), MD (18"), LG (20") • XSL 7005 All-Mountain 5" Frame, Sealed Bearing Pivots, Extruded • Truvativ Blaze Crankset w/ 44/32/22t Rings & Powerspline Sealed CNC Machined Seat Mast & Integrated Headset Head Tube Bottom Bracket Color: Metallic Black (M) • Sram SX-5 9-spd Trigger Shifters Marzocchi MX-PRO 120mm Fork • Fox Float Air Rear Shock
- Avid Mechanical Disc Brakes

• Sram X-7 9-spd Rear Derailleur • Easton EA30 Stem / Seat Post



## XSL ALL MOUNTAIN

- XSL 7005 All-Mountain 5" Frame, Sealed Bearing Pivots, Extruded CNC Machined Seat Mast & Integrated Headset Head Tube
- Rockshox Dart 1 120mm Fork
- Hayes HMX-4 Mechanical Disc Brakes
- Truvativ X Flow Crankset w/ Sealed Bottom Bracket
- Shimano Deore Rear Derailleur
- Weinmann XTB-26 Double Wall Rims
- WTB Pure V Comp Saddle

- Sizes: SM (16"), MD (18"), LG (20")
- Color: Race Blue (M)



## Coil Ex all mountain

- Coil EX "Strongbox" Top / Down Tube All-Mountain Frame
- w/ 4.5" travel & Sealed Bearing Pivots
- SR XCT 75mm Suspension Fork
- Weinmann XTB-24 Double Wall Rims
- Promax 320 Mechanical Disc Brakes

- SR Crankset w/ Sealed Bearing Bottom Bracket
- Shimano EF-50 8-spd EZ-Fire Shifters / Shimano Derailleurs
- Kenda "Big Casing" 26x2.1 Klaw Tires
- WTB Pure V Comp Saddle

- Sizes: SM (16"), MD (18"), LG (20")
- Colors: Nickle (M)



The redesigned Coil Ex frame is crafted with heat-treated 6061 aluminum and features our "Strongbox" design.





### \_\_\_\_\_

A perfect blend of Mountain and BMX influence make the 2007 Assault ideal for any urban street mission or session at the trails. We've combined the disc brake, front suspension and big wheels of a mountain bike with the geometry, smooth-rolling tires, platform pedals and barspin-friendly cable routing of a BMX bike to provide

you with the most capable and versatile street, park and trail bike imaginable. A little bit country, a little bit rock and roll and a whole lot of fun.

## Assault Dirt JUMPING HARDTAIL

- Assault 6061 T-6 Aluminum Dirt Jump Hard Tail Frame w/
   "Strongbox" Top and Down Tubes, Adjustable Horizontal Disc
   Drop-out. Forged CNC Yoke
- Marzocchi Dirt Jumper 3 RV 100mm Suspension Fork w/ 32mm
   O.D. Alloy Stanchions
- HAYES HMX-2 Mechanical Rear Disc Brake w/ V-6 rotor
- Sun MTX S-Type Double Wall Rims
- Truvativ Hussefelt 34t Single Chainring w/Bash Guard / Howitzer BB
- KENDA 26x2.35 Small Block 8 Front tire / K-RAD 26x3.00 Rear
- DB Jump Saddle with Abrasion resistant sides

Size: MD (14.5") Actual Top Tube 22"

Color: Sand (M)



The redesigned Assault frame is crafted with heat-treated 7005 aluminum and features our "Strongbox" design.





Our Response bikes combine the perfect blend of hardtail performance with rugged utility to form a series of ideal hardtail all-purpose trail bikes. Each Response is built on the same dependable frame that features our "Strongbox" top and down tubes and heat-treated 6061 T-6 aluminum. If a solid and dependable hardtail all mountain bike is what you're after, choose the Response or the disc brakeequipped Response Sport or Comp.

## Response Comp all mountain hardtail

- Response Comp 6061 T-6 Aluminum All Mountain Hard Tail Frame w/ "Strongbox" Top / Down Tubes
- Marzocchi MZ-Comp 120mm Suspension Fork w/ 30mm
   O.D. Stanchions
- Avid BB5 Mechanical Disc Brakes w/ Avid FR5 Levers
- Sram SX.5 9-spd Trigger Shifters
- Sram SX-7 Rear Derailleur / X-7 Front Derailleur
- Sun Ditchwitch Double Wall Rims
- Kenda "Big Casing" 26x2.1 Klaw Tires
- WTB Pure V Comp Saddle

#### Sizes: SM (16"), MD (18"), LG (20"), XL (22")

Color: Pluto Gold (M)



All Response Series frames are crafted with heat-treated 6061 aluminum and features our "Strongbox" design.




## Response Sport all mountain hardtail

- Response Sport 6061 T-6 Aluminum All Mountain Hard Tail Frame w/ "Strongbox" Top / Down Tubes
- RST Gila Plus T7 120mm Suspension Fork w/ 30mm O.D. Stanchions
- Hayes HMX-4 Mechanical Disc Brakes

- Truvativ X Flow Cranks / Sealed Bottom Bracket
- Shimano EF-29 8-spd Rapid Fire Shifters / Alivio Rear Derailleur
- Weinmann XTB-26 Double Wall Rims
- Kenda "Big Casing" 26x2.1 Klaw Tires
- WTB Pure V Comp Saddle

- Sizes: XS (14"), SM (16"), MD (18"), LG (20"), XL (22")
- Colors: Gang Green (M), Pluto Silver (M)



## Response all mountain hardtail

- Response 6061 T-6 Aluminum All Mountain Hard Tail Frame
- w/ "Strongbox" Top / Down Tubes
- RST Gila T6 100mm Suspension Fork
- Truvativ X Flow Cranks / Sealed Bottom Bracket
- Shimano EF-50 8-spd EZ-Fire Shifters / Acera Rear Derailleur
- Weinmann XTB-26 Double Wall Rims
   Kenda "Big Casing" 26x2.1 Klaw Tires
   WTB Pure V Comp Saddle

Sizes: XS (14'), SM (16'), MD (18'), LG (20'), XL (22') Colors: Battleship Blue (M), Orange Peel (M)



All Response Series frames are crafted with heat-treated 6061 aluminum and features our "Strongbox" design.





You know what you're after. You're simple, practical and resourceful, and so are the things you buy. You like nice things but you want to be sure that your purchases meet your needs and are just what you want; no more and definitely no less. If you can identify with these things, then we recommend you identify one of our Mountain Recreation models as your next mountain bike. Our Topanga, Sorrento, Peak and Outlook models have been setting the standard for entry-level mountain bikes for years. Whether you're after the perfect campsite cruiser, a reliable bike for a fun fitness ride in the hills or just a ride to class; we've got the right bike for you.

## Topanga MOUNTAIN RECREATION

- Topanga light weight 6061-T6 heat treated aluminum frame
- Rock Shox DART 1 Suspension fork
- SRAM SX-4 8spd Trigger Shifters
- SRAM SX-4 Rear Derailleur
- Tektro IO Disc Brakes
- WTB Speed V Saddle

#### Sizes: SM (16"), MD (18"), LG (20")

Color: Blood Red (M)



.....

#### Sorrento MOUNTAIN RECREATION

- +
- Sorrento Butted 6061 Trail Frame w/ Oversize Down Tube
- Spinner Grind-1 70mm Suspension Fork
- Weinmann XTB-26 Double Wall Rims w/ Brushed Sidewalls
- Tektro Linear Brakes
- Shimano EF-50 EZ-Fire Shifters

Sizes: XS (14"), SM (16"), MD (18"), LG (20"), XL (22"), WS (16"), WM (19")

Colors: Polished (M), Electric Blue (M), Aqua (W)





## Peak MOUNTAIN RECREATION

- Peak Heat-Treated Aluminum Trail Frame w/ Replaceable
   Derailleur Hanger
- SR M2000 Suspension Fork
- Shimano Altus Rear Derailleur
- Shimano EF-50 EZ-Fire Shifters

Promax Linear Pull Brakes
Kenda Dual Sport 26 X 1.95 ATB Tires w/ Smooth-rolling Center Ridge Sizes: XXS (12'), XS (14'), SM (16'), MD (18'), LG (20'), XL (22'), WXS (12'), WS (16'), WM (19')

Colors: Squash (M), Smoke Silver (M), Plum (W), Electric Teal (W)



## Outlook MOUNTAIN RECREATION

- Outlook Heat-Treated Aluminum Trail Frame
- 63mm Travel Suspension Fork
- Shimano Front / Rear Derailleurs
- Sram MRX Twist Shifters

 Kenda Dual Sport 26 X 1.95 ATB Tires w/ Smooth-rolling Center Ridge Sizes: XXS (12'), XS (14'), SM (16'), MD (18'), LG (20'), XL (22'), WXS (12'), WS (16'), WM (19')

Colors: Backin' Black (M), Pink (W)





In only its second year on the road, our series of podium-topping DBR Podium road bikes has already made a name for itself. The series is made up of National Championship- winning bikes that have become those of choice for some of the most discriminate racers and enthusiasts on the road. The word "rocket" has been used by many to describe the performance and acceleration of the top-ofthe-line full carbon Podium 5. From the custom butted Podium 1 to the full UD carbon 4 and 5, each Podium was designed to win races. Whether you're racing for bragging rights or a national championship - put your money on a DBR Podium. The best way to increase your odds of finishing each race atop a podium is to start on one.

#### First Rate Mortgage Team

Diamondback Racing proudly sponsors the First Rate Mortgage Cycling Team, based right here in Seattle, Washington. With over 50 team members - men and women racing in all categories and various age groups from juniors to 65+, the team is a real asset to the Diamondback Racing Product Team.

+------

Featuring multi-national champion Kenny Williams, along with Franz Hammer, Annette Hanson and Martha Walsh - who have also won multiple championships at master's road and track nationals - the team has had great success on their DBR Podiums at the local, state, regional and national level winning two titles at the 2006 National Championships held in New York.



Kenny Williams taking the win at the

#### S.L.I.M. Carbon Technology

S.L.I.M. or Specific Lay-up Interwoven Monocoque uses unique lay-up schedule that carefully places and aligns the carbon pre-preg sheets exactly where they are needed for optimum frame strength and stiffness while maintaining the lowest possible frame weight. The result - a carbon frame that is light enough for the toughest climbs with optimal drive train stiffness and superior vibration damping to keep the rider fresh for the final sprint. And the proof – multiple National Championships. The S.L.I.M. Carbon Technology is produced exclusively for the Diamondback "DBR" Podium 4 and Podium 5.

+.....+





## Podium 5 High PERFORMANCE ROAD

- DBR Podium 5 SLIM (Specific Lay-up Interwoven Monocoque) Full Carbon Frame w/ DBR Compact Diamond Geometry
- Mavic Ksyrium Equipe Wheel Set
- Sram Rival 10-spd Double Tap Shifter / Brake levers, Brake Calipers, Sram Force Rear Derailleur
- Podium Carbon Fork w/ Carbon Steerer
- Sram Rival GXP 53/39 Crankset w/ external bearing BB
- FSA ACB Integrated Head Set
- FSA Wing Pro Shallow Drop Anatomic Bar
- DBR 3D LE Race Stem

Sizes: XS (43cm), SM (46cm), MD (50cm), LG (55cm), XL (58cm)

Color: UD Carbon (M)



## Podium 4 high performance road

- DBR Podium 4 SLIM (Specific Lay-up Interwoven Monocoque) Full Carbon Frame w/ DBR Compact Diamond Geometry
- Mavic Aksium Race Wheel Set
- Shimano 105 10-spd STI Shifter / Brake levers, Ultegra Rear Derailleur
- Podium Carbon fork with Alloy Steerer

- FSA Gossamer Mega Exo 53/39 Crankset w/ external bearing BB
- FSA ACB Integrated Head Set
- FSA Wing Anatomic Alloy Bar
- DBR 3D LE Race Stem
- Michelin Dynamic 700x23c Tires

Sizes: XS (43cm), SM (46cm), MD (50cm), LG (55cm), XL (58cm)

Color: UD Carbon (M)



#### Podium 3 HIGH PERFORMANCE ROAD +-----+

- Podium 3 7005 Aluminum w/ Custom Butted Front triangle, Carbon
   FSA Gossamer Mega Exo 50/34 Compact Crankset w/external Seat stays & Integrated Headset Head Tube
- Shimano R500 Wheel Set
- Shimano 105 10-spd STI Shifter / Brake levers, Ultegra Rear Derailleur
- Podium Carbon Fork w/ Alloy Steerer

- bearing Bottom Bracket
- FSA ACB Integrated Head Set
- DBR 3D Race Stem
- Michelin Dynamic 700x23c Tires

Sizes: XS (42cm), SM (44cm), MD (50cm), LG (55cm), XL (59cm)

Color: Pearl White (M)



## Podium 2 High PERFORMANCE ROAD

- Podium 2 7005 Aluminum Frame w/ Custom Butted Tube Set & Integrated Headset Head Tube
- Podium Carbon Fork
- FSA Vero Triple Crankset w/ 52/42/30t rings
- Shimano Tiagra 9-spd STI Shifter / Brake Levers, 105 Rear Derailleur & Shimano Clipless Pedals
- FSA ACB Integrated Head Set
- DBR 3D Race Stem / Gel Bar Tape
- Michelin Dynamic 700x23c Tires

Sizes: XS (42cm), SM (44cm), MD (50cm), LG (55cm), XL (59cm)

Color: Pearl Orange (M)



#### Podium 1 HIGH PERFORMANCE ROAD

+.....+

- Podium 1 7005 Aluminum Frame w/Custom Butted Main Frame
- Podium Carbon Fork
- Shimano Sora 8-spd STI Shifter / Brake Levers, Tiagra Rear Derailleur
- FSA RPM Triple Crankset w/ 52/42/30t rings
- DBR 3D Race Stem
- Michelin Dynamic 700x23c Tires

Sizes: XS (42cm), SM (44cm), MD (50cm), LG (55cm), XL (59cm)

Color: Black (M)





#### Women's Specific DBR Road

For the many women who haven't been able to make that "shrinked and pinked" men's road bike fit the way they want, we offer the allnew women's specific Diamondback Zelos. The Zelos is the result of countless hours of development. With the help and input of a panel of some of the most discriminating women road racers and riders around, we were able to create a bike that performs, rides and fits the way women want it to. The Zelos features a custom butted 7005 series aluminum women's specific frame, a carbon fork and a myriad of women's specific parts that includes a Diamondback gel saddle. For a no nonsense / no compromise women's specific performance

-----

road bike, try on the all-new Zelos for size.


# Zelos women's specific dbr road

- Zelos Women's Specific 7005 Aluminum Frame w/Custom Butted Main Frame
- Podium Carbon Fork
- Shimano Sora 8-spd STI Shifter / Brake Levers w/ Adjustable Reach, Tiagra Rear Derailleur
- FSA RPM Triple Crankset w/ 52/42/30t rings
- DBR 3D Race Stem
- Women's Specific Alloy 31.8 Road Bar
- DBR Women's Specific Race Saddle
- Michelin Dynamic 700x23c Tires

Sizes: XS (39cm), S (42cm), M (45cm), L (48cm), XL (52cm)

Color: Silver/ Pearl White (W)





There's just nothing like a flat bar road bike to help you increase the amount of fun, health and fitness in your life while you decrease stress, your impact on the environment and the amount of money you spend on gas. Our Century and all-new women's specific Kalos flat bar road bikes can help you accomplish all of these things and more. The Century and Kalos provide you with the speed and performance of a road bike, but with comfortable and wide flat handlebars. The flat bars keep you in a more upright position than a traditional road bike - to better see down the road and enable you to quickly and comfortably maneuver around any obstacles or obstructions that may lie ahead. Whether you're commuting, doing charity / benefit rides, weekend group rides with friends or all of the above – the Century or all-new Kalos are just what you need.

## Kalos women's specific flat bar road

- Women's Specific Kalos Heat Treated Double Butted Aluminum Touring Frame w/ Replaceable Derailleur Hanger
- Aluminum Fork w/ Threadless 1 1/8" steerer tube
- Shimano Shifters / Tiagra Rear Derailleur
- Tektro Mini Linear brakes
- Alex DC-19 Double Wall Rims w/ Machined Sidewalls, Stainless Spokes & Alloy Cassette hub
- Truvativ Touro cranks
- D2 Gel Women's Specific Saddle w/ dual density base and Gel Pad
- DB Dual Density Ergo shaped grips

Sizes: SM (39cm), MD (42cm), LG (45cm)

Color: Light Blue/ Pearl White (W)

# <image>

#### **Century** FLATBAR ROAD

• Century Heat-Treated Double Butted Aluminum Touring Frame w/ Replaceable Derailleur Hanger

- Aluminum Fork w/ Threadless 1 1/8" Steerer Tube
- Shimano Shifters / Tiagra Rear Derailleur
- Tektro Mini Linear brakes
- Century Heat-Treated Double Butted Aluminum Touring Frame w/ Replaceable Derailleur Hanger
- Aluminum Fork w/ Threadless 1 1/8" Steerer Tube
- Shimano Shifters / Tiagra Rear Derailleur
- Tektro Mini Linear brakes

Sizes: SM (44cm), MD (50cm), LG (55cm)

Color: Cool Silver (M)





If your commute involves a car and a latte, you probably count on sitting in traffic. Fortunately, you can also count on the all-new Transporter to be a great 'vehicle' to get you around the traffic and to your destination. The Transporter provides you with performance, reliability and utility and comes equipped with accessories every commuter needs, from the full fender set to keep you dry to the bell to let others know you're passing them up. Take a Transporter on your next commute to begin spending more time feeling better and less money on gas.

# Transporter COMMUTER

- Transporter Double Butted Chromoly Frame w/ Rack & Fender Mounts
- Chromoly Fork w/ Low-Rider Rack Mounts
- Sealed Cartridge Bearing Hub Set
- Weinmann XTB-26 Double Wall Rims w/ Brushed Sidewalls
- Shimano Alivio Rapid-Fire 8-spd Shifters / Rear Derailleur
- WTB All-Terainasauras 26x1.60 Multi Purpose Tires w/ Smooth Rolling / Interlocking Tread Design.
- Full Fender Set
- D2 Gel Comfort Saddle w/ Dual Density Base & Gel Pad
- DB Dual Density Ergo-Shaped Grips

Sizes: SM (16"), MD (18"), LG (20")

Color: Dark Grey (M)





If what you're after is a comfortable bike that you can really cover some ground on, check out our new Menona, Maravista, Edgewood and Kalamar hybrids. They have all of the features that make a comfort bike comfortable, but with BIG 700C wheels to keep them rolling smoothly along. The comfort and agility of these bikes make

them perfect for commuting, fun and fitness. Whether you're goal is fitness, recreation or to reach a destination, our hybrids will get you there.

#### Menona Hybrid

- Menona Heat-Treated / Butted Aluminum Hybrid Frame
- w/ Internal Cable Routing & Replaceable Derailleur Hanger
- Odessa ACS 63mm Suspension Fork
- Shimano TX-71 Crankset w/ Sealed Bottom Bracket
- Shimano 8-speed EF-35 EZ-Fire Shifters / Alivio Rear Derailleur
- Alex ACE-18 Double Wall Wheels w/ Shimano Cassette Hubs & Stainless Steel Spokes
- Hayes HMX-4 Disc Brakes
- DB DLX 2-Density Sport Comfort Saddle
- DB Dual Density Ergo-Shaped Grips

Sizes: SM (15"), M (17"), LG (19"), XL (21"), WS (15")

Colors: After Midnight Blue (M), Cranberry (W)



#### Maravista Hybrid

- Maravista Heat-Treated / Butted Aluminum Hybrid Frame w/ Internal Cable Routing & Replaceable Derailleur Hanger
- Odessa ACS 63mm Suspension Fork
- Shimano TX-71 Crankset w/ Sealed Bottom Bracket
- Shimano 8-speed EF-35 EZ-Fire Shifters / Alivio Rear Derailleur
- Weinmann Zac-19 Double Wall Wheels w/ Shimano Cassette Hubs & Stainless Steel Spokes
- Tektro Linear Brakes
- DB DLX 2-Density Sport Comfort Saddle
- DB Dual Density Ergo-Shaped Grips

- Sizes: SM (15"), M (17"), LG (19"), XL (21"), WS (15")
- Colors: Blue (M), Light Blue (W)



#### Edgewood HYBRID

- Edgewood Heat-Treated / Butted Aluminum Hybrid Frame w/ Internal Cable Routing & Replaceable Derailleur Hanger
- Odessa ACS 63mm Suspension Fork
- Shimano EF-50 8-speed EZ-Fire Shifters
- Tektro Linear Brakes
- Weinmann ZAC-19 Double Wall Alloy Rims w/ Stainless
   Steel Spokes
- DB DLX 2-Density Sport Comfort Saddle
- DB Dual Density Ergo-Shaped Grips
- Puncture-Resistant Tires

#### Sizes: SM (15"), M (17"), LG (19"), XL (21"), XXL (23"), WS (15"), WM (17")

Colors: Red Metallic (M), Lavender Ice (W)

#### Kalamar Hybrid


 Kalamar Heat-Treated Aluminum Hybrid Frame w/ Replaceable Derailleur Hanger

+-----+

- Sram MRX 7-spd Twist Shifters
- Alloy Rims w/ Stainless Steel Spokes
- Promax Linear Brakes
- DB DLX 2-Density Sport Comfort Saddle
- Adjustable Stem

Sizes: SM (15"), M (17"), LG (19"), XL (21"), WS (15")

Colors: Silver (M), Light Metallic Green (W)





Need a fun and relaxing way to get exercise and enjoy the outdoors but think riding a bike sounds too harsh or like too much work? Try riding a Diamondback comfort bike. Most bicycles are designed for dirt, pavement or rocky downhills. Diamondback comfort bikes are designed for you. From the comfort saddle mounted atop a plush suspension seatpost, to the soft anatomic handle-grips and adjustable stem - everything on these bikes was designed with your comfort in mind. The line features a wide selection of bikes including the Wildwood tandem.

#### Wildwood Deluxe COMFORT

- Wildwood Deluxe Heat-Treated Aluminum Comfort Frame w/ Internal Cable Routing & Replaceable Derailleur Hanger
- SR NEX 4000 63mm Suspension Fork
- Shimano EF-50 8-spd EZ-Fire Shifters
- Promax Linear Brakes

- Weinmann XTB-26 Double Wall Wheels w/ Shimano Cassette Hubs & Stainless Steel Spokes
- DB DLX 2-Density Comfort Saddle w/ Memory Foam & Comfort Relief Cut Out
- Biologic Dual Density Comfort Grips

Sizes: S (16'), M (18'), LG (20'), XL (22'), WS (16'), WM (18')

Colors: Pearl Black/ Silver (M), Pink Pearl/ Silver (W)



## Wildwood Comfort

- Wildwood Heat-Treated Aluminum Comfort Frame w/ Internal Cable Routing & Replaceable Derailleur Hanger
- SR M2000 50mm Suspension Fork
- Shimano Revo Shifters / Mega Range Freewheel
- Aluminum Rims / Stainless Steel Spokes

- Promax Linear Brakes
- DB DLX 2-Density Comfort Saddle w/ Supersoft Foam
- Biologic Dual Density Comfort Grips
- Puncture Resistant Tires

Sizes: XS (14"), S (16"), M (18"), LG (20"), XL (22"), WS (16"), WM (18")

Colors: Blue/ Silver (M), Dark Grey (M), Dark Berry/ Berry (W), Light Pearl Yellow/ Pearl White (W)





## Wildwood Citi COMFORT

- Wildwood Comfort Steel Frame
- RST Suspension Fork
- Sram MRX Twist Shifters
- Shimano Mega Range Freewheel
- Aluminum Rims w/ Stainless Steel Spokes

Promax Linear BrakesAvenir DLX 2-Density Comfort Saddle

Sizes: S (16"), M (18"), LG (20"), WS (16")

Colors: Red (M), Pink (W)



#### Wildwood Tandem COMFORT

Wildwood Comfort Tandem Steel Frame	• Tektro Linear Brakes	Size: 19.5" / 16.5"
<ul> <li>Spinner Edge-4 80mm Suspension Fork</li> <li>Shimano EF-35 Easy Fire Shifters</li> </ul>	Avenir DLX 2-Density Comfort Saddle w/ Supersoft Foam	Color: Dark Grey/ Silver (M&W)
Alex Double Wall Wheels w/ Shimano Cassette Hubs & Stainless     Steel Spokes		





When it comes to free-wheeling fun in the sun, nothing gets the good times rolling like a Della Cruz beach cruiser. From the stylishly sensible base Della Cruz to the stretched Della Cruz 1.0 and the sophisticated Della Cruz 2.0 – we've got you covered for cruisers. Every Della Cruz beach cruiser features rust-proof aluminum rims

/ stainless steel spokes, custom springer saddles and many other custom touches that make each one unique. While they're all stylish, they're also very functional too. The saddle is positioned so it's very easy to get on and off of, the handlebar is well within a casual and comfortable reach up front and best of all your worries and concerns can easily be kept far behind you.

## Della Cruz 2.0 CRUISER

- Della Cruz Heat-Treated 6061 Aluminum Cruiser Frame
- Shimano Mega Range 7-spd Drivetrain
- Rust-Proof Aluminum Rims
- Stainless Steel Spokes
- Diamondback Springer Cruiser Saddle

- Tektro Linear Brakes
- Diamondback Full Cruiser FendersCruiser Platform Pedals

Sizes: Men's (18), Women's (16)

Colors: Sparky Red (M), Pearl Lime (W)



## Della Cruz 1.0 CRUISER

- Della Cruz Stretch Heat Treated 6061 Aluminum Cruiser Frame
- Diamondback Welded Springer Fork
- Rust-Proof Aluminum Rims
- Stainless Steel Spokes
- Diamondback Springer Cruiser Saddle w/ Chrome Bumper Rail
- Kenda Beach Comber Cruiser Tires
- Custom Diamondback Cruiser Fenders
- Cruiser Platform Pedals

- Sizes: Men's (18'), Women's (16')
- Colors: Blue (M), Brown (W), Light Aqua (W), Berry White (W)





## Della Cruz CRUISER

- Della Cruz Steel Cruiser Frame w/ "Tank Style" Top Tube
- Rust-Proof Aluminum Rims
- Stainless Steel Spokes
- Diamondback Springer Cruiser Saddle
- White Wall Kenda Cruiser Tires

Custom Diamondback Cruiser FendersCruiser Platform Pedals

Sizes: Men's (18'), Women's (16')

Colors: Black (M), Pink (W)





If stylish genes are hereditary in your family, consider also passing your little ladies along a new Diamondback Girls' beach cruiser. With a 12", 16", 20" and 24" in the line, we're bound to have a cruiser for your little beach cruiser. Each model features aluminum rims, a cruiser handlebar, a Diamondback cruiser springer saddle and a whole lot of style.



## Della Cruz 24 kids cruiser

- Heavy Duty Steel Cruiser Frame / Fork
- Rust Proof Aluminum Rims
- Jr. Cruiser Handlebar
- Coaster Brake
- Diamondback Kid's Springer Cruiser Saddle

#### Size: 24" Girl's Cruiser

Color: Blue Berry

## Miz Della Cruz kids cruiser

- Heavy Duty Steel Cruiser Frame / Fork
- Rust Proof Aluminum Rims
- Jr. Cruiser Handlebar
- Coaster Brake
- Diamondback Kid's Springer Cruiser Saddle

Size: 20" Girl's Cruiser

Color: Aqua Yelva (G)

# Mini Della Cruz kids cruiser

- Heavy Duty Steel Cruiser Frame / Fork
- Rust Proof Aluminum Rims
- Jr. Cruiser Handlebar
- Diamondback Kid's Springer Cruiser Saddle
- Heavy Duty Training Wheels

Size: 16" Girl's Cruiser

Color: Berry White (G)

#### Lil' Della Cruz kids cruiser

+.....+

- Heavy Duty Steel Cruiser Frame / Fork
- Rust Proof Aluminum Rims
- Jr. Cruiser Handlebar
- Diamondback Kid's Springer Cruiser Saddle
- Heavy Duty Training Wheels

Size: 12" Girl's Cruiser

Color: Just Like You Wanted Pink (G)







#### 1.....

The adventurous and aspiring young mountain bikers of today are the Olympic medalists and world record setters of tomorrow. They need bikes that can help them live out their ambitious endeavors. Bikes that will hold up and allow them to make every ride a great experience. Mountain bikes like those that make up our Jr. Mountain line, like the 24" Octane 24 or 20" Octane 20. Both models are very capable and well outfitted with heat-treated aluminum frames, Shimano drivetrains, adjustable stems and suspension forks.

## Octane 24 JUNIOR MOUNTAIN

- Octane 24 Heat-Treated Aluminum Jr. MTN Frame
- w/ Replaceable Derailleur Hanger
- SR M2000 Suspension Fork
- Shimano Shifters, Derailleurs & Freewheel

Aluminum Rims Promax Linear Brakes

Size: Jr. MTN 24" (wheels)

Colors: Backin' Black (B), Pink (G)



## Octane 20 JUNIOR MOUNTAIN

- Octane 20 Heat-Treated Aluminum Jr. MTN Frame w/ Replaceable Derailleur Hanger
- SR M2000 Suspension Fork
- Shimano Shifter, Derailleur & Freewheel

Aluminum Rims Promax Linear Brakes

Size: Jr. MTN 20" (wheels)

Colors: Blue (B), Rose (G)





#### Youth Sidewalk

+...

It's your choice: you can get your kids off to a healthy start by getting them a trouble-free quality bike that can give them their first taste of freedom, or you can buy one with a price close to free and make riding a source of frustration and another reason to keep the TV on. Diamondback youth bikes are a TV's worst nightmare. They're made

with quality replaceable parts like aluminum rims, heavy-duty steel frames and quality bearings and hardware. Diamondback youth bikes make riding the liberating and healthy activity that it should be – easy on you and fun for them.

...+







#### RM 20 YOUTH SIDEWALK

- Diamondback Pad Set & Moto Fenders

Size: 20" Jr. Sidewalk

Color: Anno Red (B)

#### RM 16 YOUTH SIDEWALK

- Heavy Duty Remington Steel Frame / Fork
- Rust Proof Aluminum Rims
- Coaster Brake
- Diamondback Pad Set & Moto Fenders
- Heavy Duty Training Wheels

Size: 16" Jr. Sidewalk

Color: Brop Brop Blue (B)

## RM 12 YOUTH SIDEWALK

- Heavy Duty Remington Steel Frame / Fork
- Rust Proof Aluminum Rims
- Coaster Brake
- Diamondback Pad Set & Moto Fenders
- Heavy Duty Training Wheels

Size: 12" Jr. Sidewalk

Color: Team Green (B)

## Impression Youth Sidewalk

- Heavy Duty Remington Steel Frame / Fork
- Rust Proof Aluminum Rims
- Coaster & Linear Hand Brakes
- Diamondback Pad Set, Pom-Poms & Handbag

Size: 20" Miss Sidewalk

Color: Pink Kisses (G)

## Mini Impression Youth Sidewalk

Heavy Duty Remington Steel Frame / Fork

- Rust Proof Aluminum Rims
- Coaster Brake
- Diamondback Pad Set, Pom-Poms & Handbag
- Heavy Duty Training Wheels

Size: 16" Miss Sidewalk

Color: Pink Breeze (G)





# Geometry + Measured horizontally \*\* Measured center to top of seat tube

		Seat Tube Length**	Top Tube Length*	Head Tube Length	Head Angle	Seat Tube Angle	Wheel Base	Chain Stay Length	Fork Offset	BB Height	Stem Length	Handlebar Width	Crank Length	Seat Post Leng
Aission 3, Aission 2, -	15.5° SM	393mm	560mm	120mm	68°	72*	1087mm	440mm	35mm	348mm	90mm	680mm	170mm	300mm
lission 1 _	17.5" MD	432mm	586mm	130mm	68°	72°	1109mm	440mm	35mm	348mm	100mm	680mm	175mm	300mm
	19″ LG	483mm	610mm	145mm	68°	72°	1140mm	440mm	35mm	348mm	115mm	680mm	175mm	300mm
SL Trail, SL	16" SM	420mm	558mm	120mm	70°	74°	1091mm	430mm	38mm	318mm	90mm	620mm	170mm	300mm
-	18" MD	457mm	571mm	130mm	70.5°	74°	1101mm	430mm	38mm	318mm	90mm	620mm	175mm	300mm
	20" LG	500mm	600mm	140mm	70.5°	74°	1129mm	430mm	38mm	318mm	110mm	620mm	175mm	300mm
pil Ex	16" SM	400mm	571mm	140mm	71°	73.5°	1059mm	425mm	38mm	315mm	90mm	620mm	170mm	300mm
	18" MD	450mm	564mm	140mm	71°	73.5°	1074mm	425mm	38mm	315mm	90mm	620mm	175mm	300mm
	20″ LG	500mm	578mm	145mm	71°	73.5°	1089mm	425mm	38mm	315mm	110mm	620mm	175mm	300mm
sault	MD	368mm	558mm	120mm	69°	73°	1058mm	406mm	40mm	304mm	40mm	685mm	170mm	250mm
esponse Comp,	14" XS	355mm	550mm	120mm	70°	73°	1033mm	424mm	40mm	308mm	35mm	620mm	170mm	300mm
esponse Sport, esponse	16" SM	400mm	565mm	120mm	70°	73°	1048mm	424mm	40mm	308mm	50mm	620mm	170mm	300mm
	18"MD	450mm	590mm	130mm	70°	73°	1064mm	424mm	40mm	308mm	50mm	620mm	175mm	300mm
	20" LG	500mm	615mm	130mm	70°	73°	1098mm	424mm	40mm	308mm	70mm	620mm	175mm	300mm
	22" XL	550mm	640mm	145mm	70°	73°	1124mm	424mm	40mm	308mm	70mm	620mm	175mm	300mm
opanga,	14" XS	355mm	534mm	110mm	70°	73°	1023mm	430mm	38mm	308mm	85mm	620mm	170mm	300mm
orrento	16" SM	406mm	553mm	110mm	70°	73°	1032mm	430mm	38mm	308mm	85mm	620mm	170mm	300mm
	18" MD	457mm	564mm	110mm	71 <sup>*</sup>	73°	1043mm	430mm	38mm	308mm	110mm	620mm	170mm	300mm
	20" LG	508mm	578mm	140mm	71°	73°	1058mm	430mm	38mm	308mm	110mm	620mm	170mm	300mm
	22" XL	560mm	590mm	160mm	71°	73°	1071mm	430mm	38mm	308mm	110mm	620mm	170mm	300mm
	16" WM	406mm	542mm	110mm	70°	73°	1032mm	430mm	38mm	308mm	85mm	620mm	170mm	300mm
eak, Outlook	12" XXS	305mm	527mm	110mm	70°	73°	1016mm	430mm	38mm	308mm	85mm	620mm	170mm	300mm
	14" XS	355mm	534mm	110mm	70°	73°	1023mm	430mm	38mm	308mm	85mm	620mm	170mm	300mm
	16" SM	406mm	553mm	110mm	70°	73°	1032mm	430mm	38mm	308mm	85mm	620mm	170mm	300mm
	18" MD	457mm	564mm	110mm	71°	73°	1043mm	430mm	38mm	308mm	110mm	620mm	170mm	300mm
	20" LG	508mm	578mm	140mm	71°	73°	1058mm	430mm	38mm	308mm	110mm	620mm	170mm	300mm
	22" XL	560mm	590mm	160mm	71°	73°	1071mm	430mm	38mm	308mm	110mm	620mm	170mm	300mm
	12" WS	305mm	527mm	110mm	70°	73°	1016mm	430mm	38mm	308mm	85mm	620mm	170mm	300mm
	16" WM	406mm	542mm	110mm	70*	73°	1032mm	430mm	38mm	308mm	85mm	620mm	170mm	300mm
	19" WL	482mm	553mm	140mm	71*	73°	1035mm	430mm	38mm	308mm	110mm	620mm	170mm	300mm
odium 5,	43cm XS	430mm	529mm	110mm	71.5*	74.5°	983mm	408mm	45mm	262mm	90mm	400mm	165mm	350mm
odium 4	46cm SM	460mm	545.9mm	135mm	72°	73.5°	983mm	408mm	45mm	262mm	100mm	420mm	172.5mm	350mm
	50cm MD	500mm	557mm	155mm	73°	73°	986mm	408mm	45mm	262mm	100mm	420mm	172.5mm	350mm
	55cm LG	550mm	587mm	190mm	74°	72°	996mm	408mm	45mm	262mm	110mm	420mm	175mm	350mm
	58cm XL	580mm	610mm	205mm	74°	72°	1025mm	408mm	45mm	262mm	120mm	440mm	175mm	
a diuma 0		420mm				74°								350mm
odium 3, odium 2,	42cm XS		520mm	115mm	71°		968mm	410mm	45mm	260mm	90mm	380mm	165mm	350mm
odium 1	44cm SM	440mm	535mm	120mm	72°	74°	970mm	410mm	45mm	260mm	100mm	400mm	172.5mm	350mm
	50cm MD	500mm	555mm	140mm	73°	73.5°	979mm	410mm	45mm	260mm	100mm	420mm	172.5mm	350mm
	55cm LG	550mm	585mm	175mm	73°	73*	1000mm	410mm	43mm	260mm	110mm	440mm	175mm	350mm
	59cm XL	590mm	610mm	200mm	73.5°	73*	1025mm	410mm	43mm	260mm	120mm	440mm	175mm	350mm
elos _	39cm XXS	390mm	497mm	110mm	70.5°	76*	979mm	410mm	50mm	260mm	80mm	380mm	165mm	350mm
	42cm XS	420mm	510mm	115mm	71°	75.5*	984mm	410mm	50mm	260mm	90mm	380mm	165mm	350mm
	44cm SM	440mm	521mm	120mm	72*	75°	986mm	410mm	50mm	260mm	90mm	400mm	172.5mm	350mm
	48cm MD	480mm	535mm	130mm	72*	74.5*	992mm	410mm	50mm	260mm	100mm	420mm	172.5mm	350mm
	52cm LG	520mm	550mm	140mm	72.5°	74°	996.2mm	410mm	50mm	260mm	100mm	420mm	175mm	350mm
alos	39cm	390mm	497mm	110mm	70.5°	76°	981.5mm	425mm	45mm	260mm	80mm	580mm	165mm	300mm
	42cm	420mm	510mm	120mm	71.5°	75.5°	987mm	425mm	45mm	260mm	90mm	580mm	165mm	300mm
	45cm	450mm	512mm	120mm	72°	75°	988mm	425mm	45mm	260mm	90mm	580mm	170mm	300mm
	48cm	500mm	535mm	130mm	72°	74.5°	995mm	425mm	45mm	260mm	100mm	580mm	170mm	300mm
	52cm	520mm	520mm	140mm	72.5°	74°	999mm	425mm	45mm	260mm	100mm	580mm	172.5mm	300mm
entury	44cm SM	440mm	535mm	120mm	72°	75°	1010mm	425mm	45mm	272mm	90mm	630mm	170mm	300mm
	50cm MD	500mm	555mm	120mm	73°	74°	1010mm	425mm	45mm	272mm	100mm	630mm	170mm	300mm
	55cm LG	555mm	560mm	140mm	73°	73°	1025mm	425mm	45mm	272mm	100mm	630mm	175mm	300mm
Insporter	16" SM	406mm	553mm	130mm	71°	73°	1038mm	430mm	44mm	308mm	85mm	620mm	170mm	300mm
	18" MD	457mm	565mm	130mm	71°	73°	1049mm	430mm	44mm	308mm	110mm	620mm	170mm	300mm
	20" LG	508mm	577mm	150mm	71°	73°	1058mm	430mm	44mm	308mm	110mm	620mm	170mm	300mm
enona, Maravista,	15" XS	350mm	545mm	130mm	70°	73.5°	1061mm	440mm	38mm	295mm	90mm	620mm	170mm	300mm
dgewood, Kalamar	17" SM	432mm	560mm	130mm	71°	73.5°	1074mm	440mm	38mm	295mm	90mm	620mm	170mm	300mm
	19" MD	483mm	575mm	145mm	71°	73.5°	1093mm	440mm	38mm	295mm	90mm	620mm	175mm	300mm
	21″ LG	534mm	591mm	165mm	71°	73.5°	1110mm	440mm	38mm	295mm	110mm	620mm	175mm	300mm
		367mm	560mm	130mm	71°	73.5°	1057mm	440mm	38mm	295mm	90mm	620mm	170mm	300mm
	15" WS 17" WM	432mm	579mm	130mm	71°	73.5°	1074mm	440mm	38mm	295mm	90mm	620mm	170mm	300mm

\*Measured horizontally \*\*Measured center to top of seat tube

Model	Size	Seat Tube Length**	Top Tube Length*	Head Tube Length	Head Angle	Seat Tube Angle	Wheel Base	Chain Stay Length	Fork Offset	BB Height	Stem Length	Handlebar Width	Crank Length	Seat Post Length
Wildwood Deluxe,	14" XS	342mm	541mm	130mm	70°	73°	1042mm	438mm	38mm	285mm	90mm	630mm	170mm	350mm
Wildwood, Wildwood Citi	16" SM	393mm	560mm	130mm	70°	73°	1054mm	438mm	38mm	285mm	90mm	630mm	170mm	350mm
	18" MD	444mm	546mm	130mm	70°	73°	1070mm	438mm	38mm	285mm	90mm	630mm	170mm	350mm
	20" LG	495mm	563mm	150mm	71°	73°	1087mm	438mm	38mm	285mm	110mm	630mm	170mm	350mm
	22" XL	546mm	571mm	210mm	71°	73°	1096mm	438mm	38mm	285mm	110mm	630mm	170mm	350mm
	16" WM	393mm	513mm	150mm	70°	72.5°	1054mm	438mm	38mm	285mm	90mm	630mm	170mm	350mm
	19" WL	444mm	545mm	150mm	70°	72.5°	1046mm	438mm	38mm	285mm	110mm	630mm	170mm	350mm
Wildwood Tandem	19.5 / 16.5	496mm / 420mm	582mm / 560mm	140mm	71°	72° / 73.5°	1744mm	425mm	45mm	285mm	105mm / Adj.	630mm	170mm	350mm
Della Cruz 2.0,	Μ	475mm	625mm	150mm	67.5°	69°	1142mm	485mm	39mm	296mm	100mm	700mm	175mm	350mm
Della Cruz	W	405mm	600mm	150mm	67.5°	69°	1117mm	485mm	39mm	296mm	80mm	700mm	175mm	350mm
Della Cruz 1.0	Μ	444mm	658mm	150mm	67.5°	69°	1231mm	530mm	39mm	296mm	80mm	700mm	175mm	350mm
	W	444mm	635mm	150mm	67.5°	69°	1208mm	530mm	39mm	296mm	80mm	700mm	175mm	350mm
Della Cruz 24	24″ G	310mm	537mm	110mm	70°	71°	1020mm	435mm	35mm	275mm	40mm	580mm	165mm	25.4mm
Miz Della Cruz	20″ G	265mm	454mm	110mm	71°	71°	880mm	375mm	42mm	260mm	40mm	545mm	140mm	25.4mm
Mini Della Cruz	16″ G	200mm	375mm	100mm	71°	71°	747mm	310mm	25mm	218mm	40mm	520mm	114mm	25.4mm
Lil' Della Cruz	12″ G	200mm	302mm	105mm	71°	71°	593mm	239mm	22mm	203mm	40mm	460mm	89mm	25.4mm
RM 20	20° B	280mm	488mm	100mm	71°	69°	893mm	375mm	42mm	260mm	40mm	610mm	140mm	25.4mm
RM 16	16" B	200mm	375mm	100mm	71°	71°	747mm	310mm	25mm	218mm	40mm	520mm	114mm	25.4mm
RM 12	12" B	192mm	285mm	100mm	69°	71°	575mm	235mm	35mm	193mm	40mm	460mm	89mm	25.4mm
Impression	20" G	280mm	488mm	100mm	71°	69°	893mm	375mm	42mm	260mm	40mm	610mm	140mm	25.4mm
Mini Impression	16″ G	200mm	375mm	100mm	71°	71°	747mm	310mm	25mm	218mm	40mm	520mm	114mm	25.4mm

+.....+

+-----+



# Specifications

Model:	Mission 3	Mission 2	Mission 1	XSL Trail	XSL	Coil EX	Assault	Response Comp	Response Sport
Sizes:	SM (15.5"), MD (17"), LG (19")	SM (15.5"), MD (17"), LG (19")	SM (15.5"), MD (17"), LG (19")	SM (16"), MD (18"), LG (20")	SM (16"), MD (18"), LG (20")	SM (16'), MD (18'), LG (20')	14.5" Actual Top Tube 22"	SM (16'), MD (18'), LG (20'), XL (22')	XS (14'), SM (16'), MD (18') LG (20'), XL (22')
Color:	Fog Grey - Anodized	Backin' Black	Grey Sky	Metallic Black	Race Blue	Nickel	Sand	Pluto Gold	Gang Green, Pluto Silver
Frame:	Tough Anodized Finish Mis- sion All Mountain 6" Hooded Hydroform Top Tube, Butted Formed Down Tube, Butted Formed Seatstays, UnderArch Seatstay bridge, Knuckle Box Technology	Mission All Mountain 6" Hooded Hydroform Top Tube, Butted Formed Down Tube, Butted Formed Seatstays, UnderArch Seatstay bridge, Knuckle Box Technology	Mission All Mountain 6" Hooded Hydroform Top Tube, Butted Formed Down Tube, Butted Formed Seatstays, UnderArch Seatstay bridge, Knuckle Box Technology	Vectra Trail 7005 Butted Su- perlight BOX D/T , Formed T/T , CNC Seat Mast, Full Ball Bearing Pivots	Vectra Trail 7005 Butted Su- perlight BOX D/T , Formed T/T , CNC Seat Mast, Full Ball Bearing Pivots	DB 6061 T-6 heat-treated / OS / aluminum w/ Strongbox headtube junction, sealed bearing Pivot, replaceable derailleur hanger, H2O bottle mounts	DB Strongbox Assault 7005 Heat Treated OS Aluminum, Integrated ISCG mount BB, Forge CNC yoke, Horizontal adjustable Dropouts	DB 6061-T6 heat-treated / OS / aluminum frame w/ Strongbox headtube junction, replaceable hanger, H2O bottle mounts	DB 6061-T6 heat-treated OS / aluminum frame w/ Strongbox headtube junction, replaceable hang H2O bottle mounts
Rear Shock:	Fox Float RP23 200x51 Air w/rebound adj and 3 posi- tion Propedal Platform	Fox Float R 200x51 Air w/rebound adj and Propedal Platform	Fox Float R 200x51 Air w/rebound adj and Propedal Platform	Fox Float 190x50 Air	Tuff Shock Coil w/ oil Damping	Tuff Shock Coil w/ oil damping	N/A	N/A	N/A
Fork:	Rock Shox Pike 454 Dual Air, 140mm travel, w/ Motion Control Damping, 20mm Thru Maxle 360	Fox Float RL, Air, 140mm Travel, Magnesium lowers	Rock Shox Tora 318 Solo Air w/ Motion Control Damping 130mm travel	Marzocchi MX-Comp RV 120mm Travel, Mag lowers, W/Rebound Adj	Rock Shox DART-1 120mm travel	SR XCT 75mm travel	Marzocchi Dirt Jumper 3 RV w/ Alloy upper tubes 100mm	Marzocchi MZ Comp 120mm travel w/ 30.0mm stanchions	RST Gila Plus T7 120mm travel. w/ 30mm stanchio
Headset:	FSA Zero Stack 1 1/8" ACB Deep Alloy Cups	FSA Zero Stack 1 1/8" ACB Deep Alloy Cups	Zero Stack 1 1/8"	Zero Stack 1 1/8"	Zero Stack 1 1/8"	Ahead 1 1/8"	FSA Mallet 1 1/8"	Ahead 1 1/8"	Ahead 1 1/8"
Cranks:	Truvativ Stylo SL GXP Giga X Pipe 3.3 AL-7075 Arms, with AL-7075 Rings 44/32/22t	Truvativ Fire X Giga X Pipe 3.1 AL-66 Arms, Al-7075 Outer Ring, 44/32/22t	Truvativ Blaze PowerSpline 3.1 AL-66 Arms, AL-7075 Outer Ring, 44/32/22t	Truvativ Blaze Power Spline 22/32/44t	Truvativ X-Flow, 22/32/42t	SR Suntour XCC-170NP, 24/34/42t	Truvativ Hussefelt 1.0 BG 34t Howitzer	Truvativ Blaze Power Spline, 22/32/44t	Truvativ X-Flow, 22/32/42
Bottom Bracket:	Truvativ Giga X Pipe	Truvativ Giga X Pipe	Truvativ Power Spline	Truvativ Power Spline Cartridge	Sealed Cartridge	Cartridge type	Truvativ Howitzer Big Bearing BB	Truvativ Power Spline sealed cartridge	Sealed cartridge
Front Derailleur:	Shimano Deore, Dual Pull Top Swing	Shimano Deore, Dual Pull Top Swing	Shimano Deore, Dual Pull Top Swing	Shimano Alivio	Shimano Alivio	ShimanoTourney	N/A	SRAM X-7	SR XCM202
Rear Derailleur:	SRAM X-9	SRAM X-7	Shimano LX	SRAM X-7	Shimano Deore	Shimano Alivio	N/A	SRAM X-7	Shimano Alivio
Rear Cog(s):	SRAM X-9 Trigger Shifter w/ dual postion clamp 9spd	SRAM X-7 Trigger Shifters 9spd	Shimano Deore Rapid Fire 9spd	SRAM SX5 trigger 9spd	Shimano EF-50 Rapid Fire 8spd	Shimano HG40 8 spd cassette (11-32t)	N/A	SRAM PG-950 9spd cas- sette (11-32t)	SRAM PG-830 8spd cas sette (11-30t)
Shifter(s):	SRAM PG-980 9spd Cas- sette (11-34t)	SRAM PG-950 9spd Cas- sette (11-34t)	SRAM PG-950 9spd Cas- sette (11-34t)	SRAM PG-950 9spd Cas- sette (11-32t)	Shimano HG40 8 spd Cas- sette (11-32t)	Shimano EF-50 Rapid Fire 8spd	16t Cassette	SRAM SX5 trigger 9spd	Shimano EF-50 Rapid Fire 8spd
Chain:	SRAM PC-971	SRAM PC-971	SRAM PC-971	KMC Z-9000	Shimano IG-30	Shimano IG-31	KMC K710 Kool chain	KMC-Z9000	Shimano IG-31
Hub (F):	Alloy Sealed bearing Disc, 32h 20mm thru axle	Alloy w/ CNC Disc Mount	Alloy w/ CNC Disc Mount	Alloy w/ CNC Disc Mount	Alloy w/ CNC Disc Mount	32h alloy disc hubs	Alloy Disc Nutted	32h alloy w/ CNC disc mount	32h alloy w/ CNC disc mount
Hub (R):	Alloy Sealed bearing Disc Cassette w/ CNC Disc Mount 10mm thru QR	Alloy Disc Cassette w/ CNC Disc Mount	Alloy Disc Cassette w/ CNC Disc Mount	Alloy Disc Cassette w/ CNC Disc Mount	Alloy Disc Cassette w/ CNC Disc Mount	32h alloy disc cassette	Alloy Nutted Disc Cas- sette Hub	32h alloy cassette w/ CNC disc mount	32h alloy cassette w/ CN disc mount
Spokes:	Black 14g Stainless Steel	Black 14g Stainless Steel	Black 14g Stainless Steel	Black 14g Stainless Steel	Black 14g Stainless Steel	Black 14g stainless steel	Black 14g Stainless Steel	Black 14g stainless steel	Black 14g stainless steel
Rims:	Sun SOS 32h w/ eyelets	Sun SOS 32h w/ eyelets	Sun Ditch Witch 32h w/ eyelets	Weinmann WDR Disc Rim	Weinmann XTB-26 Double Wall	32h Weinmann XTB-24 double wall	Sun MTX S-Type, 32h	32h Sun Ditch Witch w/ eyelets	32h Weinmann XTB-26 double wall
Tires:	Kenda Nevegal 26x2.3 Folding	Kenda Nevegal 26x2.3	Kenda Nevegal 26x2.3	Geax Mezcal 26x2.2	Geax Mezcal 26x2.2	Kenda Klaw XT 26x2.1	Kenda Front Small Block Eight 26x2.35 / Rear K-RAD 26x2.3	Kenda Klaw XT 26x2.1	Kenda Klaw XT 26x2.1
Brakes:	Hayes HFX-9 Hydraulic	Hayes HFX-9 Hydraulic V7" frt / V6" rear rotors	Hayes Sole Hydraulic V7" frt / V6" rear rotors	Avid BB5 Mechanical Disc	Hayes HMX-4 Mechani- cal Disc	Promax 320 disc	Hayes HMX-2 disc	Avid BB5 disc w/ 6" rotors	Hayes HMX-4 disc
Brake Levers:	Hayes HFX-9 Carbon Levers	Hayes HFX-9	Hayes Sole	Avid FR-5	Shimano EF-50	Shimano EF-50	MTB alloy 2 finger	Avid FR-5	Shimano EF-50
Pedals:	MTB Alloy Platform	MTB Alloy Platform	MTB Alloy Platform	MTB Platform	MTB Platform	Platform	DB alloy platform	Alloy platform	Platform
Handlebar:	Easton Monkey lite XC CNT HiRise Carbon 31.8	Easton EA50 MidRise 31.8	Easton EA30 MidRise 31.8	AL-6061 T6 Riser	ATB Alloy riser	Steel riser	Easton EA50 31.8 Hi-rise	Alloy riser	Steel riser
Grips:	DB 130mm D2 Kraton	DB 130mm D2 Kraton	DB 130mm D2 Kraton	DB 130mm D2 Kraton	DB 130mm D2 Kraton	DB Kraton	DB Kraton 130mm	DB D2 Kraton	DB Kraton
Stem:	Easton Vice All Mount- ian 31.8	Easton Vice All Mount- ian 31.8	Easton EA30 31.8	Easton EA30	DB Alloy 4-bolt Ahead	Alloy 4-bolt Ahead	Tioga Task Force, 40mm	Alloy Blockhead 4-bolt Ahead	Alloy Blockhead 4-bolt Ahead
Seat:	WTB Pure V Sport	WTB Pure V Sport	WTB Pure V Sport	WTB Pure V Sport	WTB Pure V Sport	WTB Pure V Sport	DB Jump Seat	WTB Pure V Sport	WTB Pure V Sport
Seatpost:	Easton EA50 double bolt clamp 30.9mm	Easton EA50 double bolt clamp 30.9mm	Easton EA30 30.9mm	Easton EA30 27.2mm	Alloy Micro adjust 27.2mm	Alloy micro adjust 27.2mm	Alloy Micro Adjust 30.9mm	Alloy micro adjust 30mm	Alloy micro adjust 30mm
Extras:	DB Key Chain, Owner's manual / Mission owner's manual cover, H20 bottle mounts	DB Key Chain, Owner's manual / Mission owner's manual cover, H20 bottle mounts	DB Key Chain, Owner's manual / Mission owner's manual cover, H20 bottle mounts	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's manual, H2O bottle mounts, "DB" Key Chain	DB Key Chain, Owner's manual, H20 bottle mounts	Clear coat, owner's manual, H2O bottle mounts, "DB" Key Chain	Clear coat, owner's man H2O bottle mounts, "DB" Key Chain

Specifications subject to change without prior notice. © 2007 Diamondback Bicycles

Model:	Response	Topanga	Sorrento	Peak	Outlook	Podium 5	Podium 4	Podium 3	Podium 2
Sizes:	XS (14'), SM (16'), MD (18'), LG (20'), XL (22')	SM (16"), MD (18"), LG (20")	XS (14'), SM (16'), MD (18'), LG (20'), XL (22'), WS (16'), WM (19')	XXS (12'), XS (14'), SM (16'), MD (18'), LG (20'), XL (22'), WXS (12'), WS (16'), WM (19')	XXS (12'), XS (14'), SM (16'), MD (18'), LG (20'), XL (22'), WXS (12'), WS (16'), WM (19')	XS (43cm), SM (46cm), MD (50cm), LG (55cm), XL (58cm)	XS (43cm), SM (46cm), MD (50cm), LG (55cm), XL (58cm)	XS (42cm), SM (44cm), MD (50cm), LG (55cm), XL (59cm)	XS (42cm), SM (44cm), MD (50cm), LG (55cm), XL (59cm)
Color:	Orange Peel, Battleship Blue	Blood Red	Polished (M), Electric Blue (M), Aqua (W)	Smoke Silver (M), Squash (M), Plum (W), Electric Teal (W)	Backin' Black (M), Pink (W)	UD Carbon	UD Carbon	Pearl White	Pearl Orange
Frame:	DB 6061-T6 heat-treated / OS / aluminum frame w/ Strongbox headtube junction, replaceable hanger, H2O bottle mounts	DB 6061-T6 heat-treated / butted aluminum w/ gusset, replaceable hanger, H2O Bottle Mounts	DB 6061-T6 heat-treated / butted aluminum w/ gusset, replaceable hanger, H2O bottle mounts	DB 6061 T-6 heat-treated aluminum w/ replaceable deraillieur hanger, H2O bottle mounts	DB 6061 T-6 heat-treated aluminum w/ fender / rack mounts	DBR Monocoque Carbon RACE Compact Technology	DBR Monocoque Carbon RACE Compact Technology	DBR Compact Technology 7005 heat treated Double Butted, w Carbon Seat stay	DBR Custom Fully Butter 7005 Alloy Frame, w/In- tgrated Headtube
Rear Shock:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Fork:	RST Gila T7 100mm travel, w/ 28.6mm stanchions	Rock Shox Dart 1 100mm Travel	Spinner Grind 1 70mm travel	SR Suntour M2000 w/ alloy crown 63mm travel	Zoom Outlook FS 45mm travel	DBR Podium Carbon w/ Carbon Steerer	DBR Podium Carbon Fork w/ Alloy Steerer	DBR Podium Carbon Fork w/ Alloy Steerer	DBR Podium Carbon
Headset:	Ahead 1 1/8"	Ahead 1 1/8"	Ahead 1 1/8"	Ahead 1 1/8"	Ahead 1 1/8"	FSA ACB integrated 1 1/8"	FSA ACB integrated 1 1/8"	FSA ACB integrated 1 1/8"	FSA ACB integrated 1 1/
Cranks:	Truvativ X-Flow, 22/32/42t	Truvativ X-Flow, 22/32/42t	Shimano TX-71, 28/38/48t	SR Suntour XCC-208, 28/38/48t	MTB Triple w/ Chainguard, 28/38/48t	SRAM Rival GXP 39/53t	FSA Gossamer Mega EXO 39/53t	FSA Gossamer Compact Mega EXO 34/50t	FSA Vero Alloy Triple 53/42/30t
Bottom Bracket:	Cartridge type	Cartridge Type	Cartridge type	Cartridge type	Cartridge type	SRAM GXP	Mega Exo BB	Mega Exo BB	Sealed Cartridge
Front Derailleur:	SR XCM202	SRAM 3.0	Shimano C051	ShimanoTourney	ShimanoTourney	SRAM Rival	FSA SLK	FSA Energy	Shimano Tiagra
Rear Derailleur:	Shimano Acera	SRAM SX-4	Shimano Acera	Shimano Altus	Shimano TX-30	SRAM Force Carbon	Shimano Ultegra	Shimano Ultegra	Shimano 105
Rear Cog(s):	Shimano HG40 cassette (11-30t)	SRAM SX-4 Trigger	SR Suntour 7spd cassette (11-30t)	Shimano 7spd freewheel (14-28t)	Freewheel 7spd (13-34t)	SRAM Rival Double Tap	Shimano 105 10spd STI	Shimano 105 10spd STI	Shimano Tiagra 9spd
Shifter(s):	Shimano EF-50 Rapid Fire 8spd	Shimano HG40 Cassette (11-30t)	Shimano EF-50 Rapid Fire 7spd	Shimano EF-50 Rapid Fire 7spd	SRAM MRX 7spd twist	SRAM OG 1070 10spd Cas- sette 11/23	Shimano 5600 10spd Cas- sette 12/25	Shimano 5600 10spd Cas- sette 12/27	SRAM PG-970 9spd Cas sette (12-26t)
Chain:	Shimano IG-31	KMC-Z82	KMC-Z51	KMC-Z51	KMC-Z51	SRAM PC1070	Shimano 10spd	Shimano 10spd	KMC-Z9000
Hub (F):	32h alloy QR	32h Alloy w/ CNC Disc Mount	32h alloy QR	32h alloy QR	32h alloy QR	Mavic Kysrium Equipe Black	Mavic Aksium Silver	Shimano R-500	Alloy sealed QR
Hub (R):	32h alloy QR Cassette	32h Alloy Cassette w/ CNC Disc Mount	32h alloy QR	32h alloy QR	32h alloy QR	Mavic Ksyrium Black Cassette	Mavic Aksium Silver Cassette	Shimano R-500 Cassette 10spd	Alloy sealed Cassette QI
Spokes:	Black 14g stainless steel	Black 14g Stainless Steel	Black 14g stainless steel	Black 14g stainless steel	14g stainless steel	Mavic Kysrium Equipe Black	Mavic Aksium	Shimano R-500	Black 14g Stainless Stee
Rims:	32h Weinmann XTB-26 double wall	32h Weinmann XTB-26 Double Wall	32h Weinmann XTB-26 double wall	32h R-1000 alloy	32h R-1000 alloy	Mavic Kysrium Equipe Black	Mavic Aksium Silver	Shimano R500	Alex DA-22 black w/ CN Sidewall
Tires:	Kenda Klaw XT 26x2.1	Kenda Klaw XT 26x2.1	Kenda Dual Sport 26x1.95	Kenda Dual Sport 26x1.95	Kenda Dual Sport 26x1.95	Michelin Pro 2 Race, 700x23c	Michelin Dynamic 700x23c	Michelin Dynamic 700x23c	Michelin Dynamic 700x2
Brakes:	Promax alloy linear	Tektro IO Disc	Promax alloy linear	Alloy linear	Alloy linear	SRAM Rival w/ cartridge pads	Tektro R-720 Dual Pivot w/ cartridge pads	Tektro R-570 Dual Pivot w/ cartridge pads	Tektro Dual Pivot R-530 cartridge pads
Brake Levers:	Shimano EF-50	Tektro Alloy	Shimano EF-50	Shimano EF-50	Alloy linear	SRAM Rival Double Tap	Shimano 105 10spd	Shimano 105 10spd	Shimano Tiagra
Pedals:	Platform	Platform	Toe clip compatible platform	Toe clip compatible platform	Resin	Test Ride	Test Ride	Test Ride	Shimano PD505
Handlebar:	Steel riser	Steel riser	Steel riser	Steel riser	Steel riser	FSA Wing Pro Shallow Drop Anatomic	FSA Wing Anatomic 31.8	DBR Podium 31.8 Butted	DBR Oversize Alloy Dro 31.8
Grips:	DB Kraton	DB Kraton	DB Kraton	DB Kraton	Avenir MTB	DBR Gel Tape	DBR Gel Tape	DBR Gel Tape	DBR Gel Tape
Stem:	Alloy Blockhead 4-bolt Ahead	Alloy 4-bolt Ahead	Alloy 4-bolt Ahead	Alloy 4-bolt Ahead	Steel quill	DBR Race LE 3-D 7degree 31.8	DBR Race LE 3-D 7degree 31.9	DBR Race LE 3-D 7degree 31.10	DBR Race LE 3-D 7deg 31.11
Seat:	WTB Pure V Sport	WTB Speed V Sport	Avenir ATB	M & W specific Avenir ATB	M & W specific Avenir ATB	DBR Carbon w/ Ti Rail	DBR Racing w/ Cromo rail	DBR Racing w/ Cromo rail	DBR Racing
Seatpost:	Alloy micro adjust 30mm	Alloy Micro adjust 27.2mm	Alloy micro adjust 27.2mm	Alloy micro adjust 27.2mm	Steel pillar 27.2mm	DBR Composite 27.2mm	DBR Composite 27.2mm	DBR 2014 Pro Post 27.2 x 350	DBR 2014 Pro Post 27. x 350
Extras:	Clear coat, owner's manual, H2O bottle mounts, "DB" Key Chain	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's manual, H2O bottle mounts	Mens / Womens Specific Saddles, Clear coat, owner's manual, H2O bottle mounts	Mens / Womens Specific Saddles, Clear coat, owner's manual, H2O bottle mounts	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's mar H20 bottle mounts

## Specifications

Model:	Podium 1	Zelos	Kalos	Century	Transporter	Menona	Maravista	Edgewood	Kalamar
Sizes:	XS (42cm), SM (44cm), MD (50cm), LG (55cm), XL (59cm)	XS (39cm), S (42cm), M (45cm), L (48cm), XL (52cm)	SM (39cm), MD (42cm), LG (45cm)	SM (44cm), MD (50cm), LG (55cm)	SM (16"), MD (18"), LG (20")	SM (15"), M (17"), LG (19"), XL (21"), WS (15")	SM (15'), M (17'), LG (19'), XL (21'), WS (15')	SM (15'), M (17'), LG (19'), XL (21'), XXL (23'), WS (15'), WM (17')	SM (15''), M (17''), LG (19''), XL (21''), WS (15'')
Color:	Black	Silver / Pearl White	Light Blue / Pearl White	Cool Silver	Dark Grey	After Midnight Blue (M), Cranberry (W)	Blue (M), Light Blue (W)	Red Metalic (M), Lavender Ice (W)	Silver (M), Light Metalic Green (W)
rame:	DBR Custom Butted 7005 Alloy main frame	DBR Womens Specific Custom Butted 7005 Alloy main frame	DB Womens Specific Alloy Compact Flat bar Frame	DB 6061 heat-treated butted aluminum compact flat bar w/ replaceable derailleur hanger, H2O bottle mounts	DB double butted cromoly commuter w/ fender / rack mounts, H2O bottle mounts	DB 6061-T6 alloy hybrid w/ internal cable routing, disk brake mounts, replaceable derailleur hanger, H2O bottle mounts	DB 6061-T6 alloy hybrid w/ internal cable routing, re- placeable derailleur hanger, H2O bottle mounts	DB 6061-T6 alloy hybrid w/ internal cable routing, re- placeable derailleur hanger, H2O bottle mounts	DB 6061-T6 alloy cross / commuter w/ replaceable derailleur hanger, H2O bo mounts
ork:	DBR Podium Carbon	DBR Podium Carbon Wom- ens Specific	Aero Alloy w/ canti bosses	Aero alloy w/ cantilever bosses	Cromoly blades with lowrider rack mounts	Spinner Odessa ACS comfort sus w/ adjuster 63mm travel	Spinner Odessa ACS comfort sus w/ adjuster 63mm travel	Spinner Odessa ACS comfort sus w/ adjuster 63mm travel	Hi-Ten Remington Steel
leadset:	Semi Sealed 1 1/8"	Semi Sealed 1 1/8"	Ahead 1 1/8"	Ahead 1 1/8"	Ahead 1 1/8"	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1 1/8"
Cranks:	FSA, RPM Alloy Triple 53/42/30t	FSA, RPM Alloy Triple 53/42/30t	Truvativ Touro 30/42/52t	Truvativ Touro, 30/42/52t	Truvativ ISO Flow, 48/38/28t	Shimano TX-71, 48/38/28 w/ chainguard	Shimano TX-71, 48/38/28 w/ chainguard	SR NEX-200, 28/38/48t w/ chainguard	Alloy single speed 48t w/ chainguard
Bottom Bracket:	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed cartridge	Sealed cartridge	Sealed cartridge	Sealed cartridge	Sealed cartridge	Cartridge type
Front Derailleur:	Shimano 2200	Shimano 2200	Shimano R443 FB	Shimano R443 FB	Shimano C051	Shimano C051	Shimano C051	Shimano C051	N/A
Rear Derailleur:	ShimanoTiagra	Shimano Tiagra	Shimano Tiagra	Shimano Tiagra	Shimano Alivio	Shimano Alivio	Shimano Alivio	Shimano Acera	Shimano TX-70
Rear Cog(s):	Shimano Sora 8spd Reach Adjustable	Shimano Sora 8spd Reach Adjustable	Shimano ST-R220/ST-R224 8spd	Shimano HG50 8spd cas- sette 12-25t	SRAM PG-830 8spd cas- sette (11-32t)	SRAM PG-830 8spd cas- sette (11-32t)	SRAM PG-830 8spd cas- sette (11-32t)	Shimano HG40 8spd cas- sette (11-32t)	Shimano 7spd MegaRan freewheel (14-34t)
Shifter(s):	Shimano 8spd Cassette (12-25t)	Shimano 8spd Cassette (12-25t)	Shimano HG50 8spd Cas- sette 12-25t	Shimano ST-R220/ST-R224 Rapidfire 8spd	Alivio Rapidfire 8spd pods	Shimano EF-35 Rapid Fire 8spd	Shimano EF-35 Rapid Fire 8spd	Shimano EF-50 Rapid Fire 8spd	Sram MRX Plus twist 7s
Chain:	KMC Z9000	KMC Z9000	KMC -Z82	KMC -Z82	KMC-Z51	KMC-Z82	KMC-Z82	KMC-Z51	KMC-Z51
Hub (F):	Alloy sealed QR	Alloy sealed QR	Alloy QR	32h alloy QR	32h alloy sealed bearing	32h alloy disc QR	32h alloy QR	32h alloy QR	32h alloy QR
Hub (R):	Alloy sealed Cassette QR	Alloy sealed Cassette QR	Alloy Road Cassette QR	32h alloy cassette QR	32h alloy sealed bearing cassette	32h alloy disc cassette	32h Shimano RM30 cassette	32h alloy cassette QR	32h alloy QR
Spokes:	Black 14g Stainless Steel	Black 14g Stainless Steel	Black 14g Stainless Steel	Black 14g stainless steel	Black 14g stainless steel	Black 14g stainless steel	Black 14g stainless steel	Black 14g stainless steel	14g stainless steel
Rims:	Alex DC-19 w/ CNC Side	Alex DC-19 w/ CNC Side	ALEX DC-19 w/ CNC Side	32h Alex DC-19 w/ CNC Side	32h Weinmann XTB-26 double wall	32h Alex ACE 18	32h Weinmann AC-19 double wall 32h	32h Weinmann AC-19 double wall	32h R-1000 Alloy
Tires:	Michelin Dynamic 700x23c	Michelin Dynamic 700x23c	Kenda 700x32C Skinwall	Kenda 700x32C Skinwall	WTB All Terrainasaurus 26x1.6	Kenda Cross w/ Puncture Resistant K-shield 700x40c	Kenda Cross w/ Puncture Resistant K-shield 700x40c	Kenda Cross w/ Puncture Resistant K-shield 700x40c	Kenda Cross 700x40C
Brakes:	Tektro Dual Pivot R-350	Tektro Dual Pivot R-350	Tektro mini linear	Tektro mini linear	Tektro alloy linear	Hayes MX-4 disc	Tektro alloy linear	Tektro alloy linear	Promax alloy linear
Brake Levers:	Shimano Sora	Shimano Sora Reach Adjustable	Shimano BL-R224	Shimano BL-R224	Tektro 3-finger	Shimano EF-35	Shimano EF-35	Shimano EF-50	Promax linear w/ adjusta reach
Pedals:	Alloy / Nylon Road w/ clips and straps	Alloy / Nylon Road w/ clips and straps	Alloy / Nylon Road w/ clips and straps	Alloy / nylon w/ clips and straps	Alloy cage	Comfort platform	Comfort platform	Comfort platform	Comfort platform
landlebar:	DBR Oversize Alloy Drop 31.8	Womens Specific DBR Oversize Alloy Drop 31.8	Alloy Flat Bar	Alloy flat	Steel riser	Alloy comfort flat	Comfort riser - 50mm	Comfort riser - 50mm	Comfort riser - 50mm
Grips:	DBR Cork Tape	DBR Cork Tape	Avenir Ergo 3-D Comfort	NEW Avenir ERGO 3-D comfort	NEW Avenir ERGO 3-D comfort	NEW Avenir ERGO 3-D comfort	NEW Avenir ERGO 3-D comfort	NEW Avenir ERGO 3-D comfort	DB Kraton
Stem:	DBR Race LE 3-D 7degree 31.12	DBR Race LE 3-D 7degree 31.13	Kalloy 17° rise	Alloy 4-bolt Ahead	Alloy 4-bolt Ahead	Alloy adjustable quill	Alloy adjustable quill	Alloy adjustable quill	Alloy adjustable quill
Seat:	DBR Racing	DBR Racing	DB Women's Specific D2 Gel	DB D2 Gel road, double density base w/ comfort gel boost	DB D2 Gel road, double density base w/ comfort gel boost	DB deluxe hybrid double density base w/ elastomer spring	DB deluxe hybrid double density base w/ elastomer spring	DB deluxe hybrid double density base w/ elastomer spring	DB deluxe hybrid double density base w/ elastom spring
Seatpost:	DBR 2014 Pro Post 27.2 x 350	DBR 2014 Pro Post 27.2 x 350	Alloy Micro adjust 27.2mm	Alloy micro adjust 27.2mm	Alloy micro adjust 27.2mm	Avenir Silhouette w/ micro adjust 27.2mm	Avenir Silhouette w/ micro adjust 27.2mm	Alloy suspension w/ micro adjust 27.2mm	Alloy suspension w/ mic adjust 27.2mm
Extras:	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's manual, H20 bottle mounts	Clear coat, owner's manual, H2O bottle mounts	Bell, clear coat, owner's manual, H2O bottle mounts	Internal cable routing, clear coat, owner's manual, H2O bottle mounts	Internal cable routing, clear coat, owner's manual, H2O bottle mounts	Internal cable routing, clear coat, owner's manual, H2O bottle mounts	Clear coat, owner's man H2O bottle mounts

Specifications subject to change without prior notice. © 2007 Diamondback Bicycles

Model:	Wildwood Deluxe	Wildwood	Wildwood Citi	Wildwood Tandem	Della Cruz 2.0	Della Cruz 1.0	Della Cruz	Della Cruz 24	Miz Della Cruz
Sizes:	S (16'), M (18'), LG (20'), XL (22'), WS (16'), WM (18')	XS (14'), S (16'), M (18'), LG (20'), XL (22'), WS (16'), WM (18')	S (16'), M (18'), LG (20'), WS (16')	19.5″ / 16.5″	Men's (18'), Women's (16')	Men's (18'), Women's (16')	Men's (18"), Women's (16")	24" Girl's Cruiser	20" Girl's Cruiser
Color:	Pearl Black / Silver (M), Pink Pearl / Silver	Dark Grey / Silver (M), Blue / Silver (M), Light Pearl Yel- low / Pearl White (W), Dark Berry / Berry	Red (M), Make It Pink (W)	Dark Grey / Silver (M&W)	Sparky Red (M), Pearl Lime (W)	Blue (M), Brown (M), Light Aqua (W), Berry White (W)	Black (M), Pink (W)	Blue / Berry	Aqua Yelva
Frame:	DB 6061-T6 heat-treated aluminum comfort w/ internal cable routing, re- placeable derailleur hanger, H2O bottle mounts	DB 6061-T6 heat-treated aluminum comfort w/ internal cable routing, re- placeable derailleur hanger, H2O bottle mounts	DB Hi-Ten Remington Steel comfort w/ replaceable derailleur hanger, H2O bottle mounts	DB chromoly tandem comfort w/ replaceable derailleur hanger, H2O bottle mounts	DB 6061-T6 heat treated OS aluminum cruiser	DB 6061-T6 heat treated OS aluminum stretch cruiser	DB Hi-Ten Remington Steel cruiser w/ "Tank" top tube	DB Hi-Ten Remington Steel cruiser w/ "Tank" top tube	DB Hi-Ten Remington Stee cruiser w/ "Tank" top tube
Fork:	SR NEX4000 comfort suspension	SR M2000 w/ alloy crown	Impact comfort suspension	Spinner Edge 4 80mm travel	DB cruiser curve	DB custom welded springer fork	DB cruiser curve	Hi-Ten Remington Steel	Hi-Ten Remington Steel
Headset:	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1"	Threaded 1"
Cranks:	Shimano TX-71, 28/38/48 w/ chainguard	SR NEX-200, 28/38/48t	SR Suntour XCC-208, 28/38/48t	Alloy tandem w/ chain- guard, 28/38/48t	1-piece, 44t	1-piece, 44t	1-piece, 44t	140mm 1-piece, 36t	140mm 1-piece, 36t
Bottom Bracket:	Sealed cartridge	Cartridge type	Cartridge type	Sealed cartridge	Looseball	Looseball	Looseball	Looseball	Looseball
Front Derailleur:	Shimano C50	Shimano C50	ShimanoTourney	Shimano T401	N/A	N/A	N/A	N/A	N/A
Rear Derailleur:	Shimano Acera	Shimano TX-50	Shimano TX-30	Shimano Deore	Shimano TX-70	N/A	N/A	N/A	N/A
Rear Cog(s):	Shimano HG40 cassette (11-32t)	Shimano 7spd MegaRange freewheel (14-34t)	Shimano 7spd MegaRange freewheel (14-34t)	SRAM PG-830 8spd cas- sette (11-34t)	Shimano 7spd MegaRange freewheel (14-34t)	20t	20t	18t	18t
Shifter(s):	Shimano EF-50 Rapid Fire 8spd	Shimano Revo 7spd twist	Sram MRX 7spd twist	Shimano EF-35 Rapid Fire 8spd	Shimano Revo 7spd twist	N/A	N/A	N/A	N/A
Chain:	KMC-Z51	KMC-Z51	KMC-Z51	Shimano UG-50	KMC-Z51	KMC-Z51	KMC-Z51	KMC-Z410	KMC-Z410
Hub (F):	32h alloy QR	32h alloy QR	32h alloy QR	36h alloy QR	36h alloy nutted	36h nutted	36h nutted	36h nutted	36h nutted
Hub (R):	32h Shimano RM30 cassette	32h alloy QR	32h alloy QR	36h Shimano RM30 cassette	36h alloy nutted	36h nutted coaster brake	36h nutted coaster brake	36h nutted coaster brake	36h nutted coaster brake
Spokes:	14g stainless steel	14g stainless steel	14g stainless steel	14g stainless steel	14g stainless steel	14g stainless steel	14g stainless steel	14g	14g
Rims:	32h Weinmann XTB-26 double wall	32h R-1000 alloy	32h R-1000 alloy	36h Alex DM-21 double wall	36h Alex X303, 36h	36h Alex Zuma alloy	36h Alex Zuma alloy	36h R-1000 alloy	36h R-1000 alloy
Tires:	Kenda Comfort w/ Punc- ture Resistant K-shield 26x1.95	Kenda comfort w/ puncture resistant K-shield 26x1.96	Kenda comfort 26x1.95	Kenda comfort w/ puncture resistant K-shield 26x1.96	Kenda cruiser whitewall 26x2.125	Kenda cruiser blackwall / whitewall ladies 26x2.1	Kenda cruiser whitewall 26x2.125	Cruiser whitewall 24x2.125	Cruiser whitewall 20x2.12
Brakes:	Promax alloy linear	Promax alloy linear	Promax alloy linear	Tektro alloy linear	Tektro alloy linear	Coaster	Coaster	Coaster	Coaster
Brake Levers:	Shimano EF-50	Promax linear w/ adjust- able reach	Promax linear w/ adjust- able reach	Shimano EF-50	Tektro linear w/ adjustable reach	N/A	N/A	N/A	N/A
Pedals:	Comfort platform	Comfort platform	Comfort platform	Comfort platform	Cruiser platform	Cruiser platform	Cruiser platform	Resin platform	Resin platform
Handlebar:	Comfort riser - 70mm	Comfort riser - 70mm	Comfort riser - 70mm	Comfort riser - 70mm	Cruiser	Cruiser	Cruiser	Cruiser - 22.75 <sup>°</sup> wide x 3 <sup>°</sup> rise	Cruiser - 22.75" wide x 3" rise
Grips:	BIOLOGIC 3-D comfort	BIOLOGIC 3-D comfort	Avenir comfort	BIOLOGIC 3-D comfort	Avenir Fish	Chrome tipped dimple	DB comfort cruiser	Jr cruiser	Jr cruiser
Stem:	Alloy adjustable quill	Alloy adjustable quill	Steel quill	Alloy adjustable quill	Alloy cruiser quill	Alloy cruiser quill	Alloy cruiser quill	Alloy cruiser quill	Alloy quill
Seat:	DB deluxe comfort w/ double density base, extreme comfort memory foam, coil spring	DB deluxe comfort w/ double density base, su- persoft foam, coil spring	DB deluxe comfort	DB deluxe comfort w/ double density base, su- persoft foam, coil spring	Della Cruz double spring	Della Cruz double spring	Della Cruz double spring	Crusier spring type	Crusier spring type
Seatpost:	Avenir Silhouette w/ micro adjust 27.2mm	Alloy suspension w/ micro adjust 27.2mm	Alloy suspension w/ micro adjust 28.8mm	Alloy suspension w/ micro adjust 27.2mm	Alloy pillar 27.2mm x 300mm	Alloy pillar 27.2mm x 300mm	Steel pillar 27.2mm	Steel pillar 25.4mm	Steel pillar 25.4mm
Extras:	Clear coat, owner's manu- al, H2O bottle mounts	Clear coat, owner's manu- al, H2O bottle mounts	Clear coat, owner's manu- al, H2O bottle mounts	Clear coat, owner's manu- al, H2O bottle mounts	Cruiser full fenders, clear coat, owner's manual, H2O bottle mounts	Custom fenders, custom springer fork with welded on fender mounts, clear coat, owner's manual, H2O bottle mounts	Cruiser full fenders, clear coat, owner's manual, H2O bottle mounts	Full set cruiser fenders, streamers, clear coat, owner's manual	Full set cruiser fenders, streamers, clear coat, owner's manual

Model:	Mini Della Cruz	Lil' Della Cruz	Octane 24	Octane 20	RM 20	RM 16	RM 12	Impression	Mini Impression
Sizes:	16" Girl's Cruiser	12" Girl's Cruiser	Jr. MTN 24" (wheels)	Jr. MTN 20" (wheels)	20" Jr. Sidewalk	16" Jr. Sidewalk	12" Jr. Sidewalk	20" Miss Sidewalk	16" Miss Sidewalk
Color:	Berry White	Just Like You Wanted Pink	Backin' Black (B), Pink (G)	Blue (B), Rose (G)	Anno Red	Brop Brop Blue	Team Green	Pink Kisses	Pink Breeze
Frame:	DB Hi-Ten Remington Steel cruiser	DB Hi-Ten Remington Steel cruiser	DB 6061 heat-treated aluminum with replaceable derailleur hanger.	DB 6061 heat-treated aluminum with replaceable derailleur hanger	DB Hi-Ten Remington Steel frame w/ 4-stroke "Power Gusset"	DB Hi-Ten Remington Steel frame w/ 4-stroke "Power Gusset"	DB Hi-Ten Remington Steel frame w/ 4-stroke "Power Gusset"	DB Hi-Ten Remington Steel	DB Hi-Ten Remington Stee
Fork:	Hi-Ten Remington Steel	Hi-Ten Remington Steel	SR Suntour M2000 50mm travel	SR Suntour M2000 30mm travel	Hi-Ten Remington Steel	Hi-Ten Remington Steel	Hi-Ten Remington Steel	Hi-Ten Remington Steel	Hi-Ten Remington Steel
Headset:	Threaded 1"	Threaded 1"	Threaded 1 1/8"	Threaded 1 1/8"	Threaded 1"	Threaded 1"	Threaded 1"	Threaded 1"	Threaded 1"
Cranks:	140mm 1-piece, 36t	90mm 1-piece, 28t	SR Suntour XCC-208, 28/38/48	140mm one piece, 40t	140mm 1-piece, 36t	115mm 1-piece, 36t	90mm 1-piece, 28t	140mm 1-piece, 36t	115mm 1-piece, 36t
Bottom Bracket:	Looseball	Looseball	Looseball	Looseball	Looseball	Looseball	Looseball	Looseball	Looseball
Front Derailleur:	N/A	N/A	Shimano TY-32	N/A	N/A	N/A	N/A	N/A	N/A
Rear Derailleur:	N/A	N/A	Shimano TX-30	Shimano TX-30	N/A	N/A	N/A	N/A	N/A
Rear Cog(s):	18t	16t	Shimano MF-HG37 (14- 28t) 7spd freewheel	Shimano MF-HG37 (14- 28t) 6spd freewheel	18t	18t	18t	18t	18t
Shifter(s):	N/A	N/A	Shimano Revo 7spd twist	Shimano Revo RH 6spd twist	N/A	N/A	N/A	N/A	N/A
Chain:	KMC-Z410	KMC-Z410	KMC Z51	KMC Z51	KMC-Z410	KMC-Z410	KMC-Z410	KMC-Z410	KMC-Z410
Hub (F):	28h nutted	16h nutted	36h alloy QR	36h nutted	36h nutted	28h nutted	16h nutted	36h nutted	28h nutted
Hub (R):	28h nutted coaster brake	16h nutted coaster brake	36h nutted	36h nutted	36h nutted coaster brake	28h nutted coaster brake	16h nutted coaster brake	36h nutted coaster brake	28h nutted coaster brake
Spokes:	14g	14g	14g	14g	14g	14g	14g	14g	14g
Rims:	28h R-1000 alloy	16h R-1000 alloy	36h aluminum R-1000	36h aluminum R-1001	36h R-1000 alloy	28h R-1000 alloy	16h R-1000 alloy	36h R-1000 alloy	28h R-1000 alloy
lires:	Cruiser whitewall 16x2.125	Cruiser whitewall 12x2.125	Jr. ATB Knobby 24 x 2.1	Jr. ATB Knobby 20 x 2.0	Comp III style 20x2.125	Comp III style 16x2.125	Comp III style 12x2.125	Snake belly style 20x1.75	Snake Belly style 16x1.75
Brakes:	Coaster	Coaster	Alloy linear	Alloy linear	Linear pull w/ coaster hub	Coaster	Coaster	Linear pull w/ coaster hub	Coaster
Brake Levers:	N/A	N/A	Alloy linear	Alloy linear	Alloy 2-finger	N/A	N/A	Alloy 2-finger	N/A
Pedals:	Resin platform	Resin platform	Resin	Resin	Resin platform	Resin platform	Resin platform	Resin platform	Resin platform
landlebar:	Cruiser - 22.75 <sup>°</sup> wide x 3 <sup>°</sup> rise	Crusier - 18" wide	Steel Jr riser - 23" wide x 1" rise	Steel jr riser - 20.5" wide x 1" rise	2-piece - 24" wide x 6" rise	2-piece - 20" wide x 6.5" rise	2-piece - 19" wide x 4.75" rise	2-piece - 24" wide x 6" rise	2-piece - 20.5" wide x 6.5" rise
Grips:	Jr Cruiser	Soft PVC	DB Kraton	DB Kraton	Soft PVC	Soft PVC	Soft PVC	Soft PVC	Soft PVC
Stem:	Alloy quill	Alloy quill	Alloy quill	Alloy quill	Steel quill w/ alloy cap	Steel quill w/ alloy cap	Steel quill w/ alloy cap	Steel quill w/ alloy cap	Steel quill w/ alloy cap
Seat:	Crusier spring type	Mini crusier	Jr ATB 3 panel	Jr ATB 2 panel	DB MX padded	DB Jr MX padded	DB Mini MX padded	DB Miss BMX padded	DB Miss BMX padded
eatpost:	Steel pillar 25.4mm	Steel pillar 25.4mm	Steel pillar 27.2mm	Steel pillar 27.2mm	Steel pillar 25.4mm	Steel pillar 25.4mm	Alloy Integrated 25.4mm	Steel pillar 25.4mm	Steel pillar 25.4mm
Extras:	Full set cruiser fenders, streamers, clear coat, owner's manual	Training wheels, full set cruiser fenders, streamers, clear coat, owner's manual	Clear coat, owner's manual, rear derailleur guard	Clear coat, owner's manual, rear derailleur guard	Moto fenders + 2 pc pad set, clear coat, owner's manual	Training wheels, moto fenders, 2 piece pad set, clear coat, owner's manual	Training wheels, moto fenders, 2 Piece padset, clear coat, owner's manual	Convertible hand bag. 2 piece pads, streamers, clear coat, owner's manual	Training wheels, convert- ible hand bag. 2 piece pads, streamers, clear coat, owner's manual





#### Bicycle Limited Warranty DIAMONDBACK bicycles are distributed by Raleigh America, Inc.

It is the owner's responsibility to thoroughly read and understand the owner's manual and regularly examine the product to determine the need for professional, authorized service or replacement. Please consult an authorized Raleigh America, Inc. bicycle dealership with any questions on use and maintenance. Regard-less of the length of the warranty, Raleigh America, Inc. does not infer that the bicycle will last forever or cannot be broken. All Raleigh/ Diamondback framesetsand bicycles have a finite, limited useful product

life cycle. The length of this useful life cycle will vary by environment, riding conditions, frame material and construction, riding style, maintenance, and the amount as well as type of use the bicycle or frame is subjected to. A worn out bicycle does not indicate it is warrantable, rather that the bicycle has outlived (exceeded) its useful product cycle.

#### Raleigh America, Inc. warrants this new Raleigh America, Inc. bicycle frame against defects in material and workmanship, subject to the following limitations, terms, and conditions:

+-----

Item	Warranty Term Length
Steel bicycle frames with wheel size less than 20"	Lifetime, for as long as the original retail purchaser owns the bicycle*
Steel bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Alloy bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Full Carbon Fiber or Carbon fiber/alloy bicycle frames with 20", 24", 26", or 700c wheels	Lifetime, for as long as the original retail purchaser owns the bicycle*
Full Suspension bicycle frames	Five years from the date of original retail purchase to the original purchaser*
Forks, Non-branded	Five years from the date of original retail purchase
Forks, Branded	Covered under the fork manufacturer's warranty. Consult dealer for details.
Components, Non-branded	One year from the date of original retail purchase
Components, Branded	Covered under the component manufacturer's warranty. Consult dealer for details.
Finish and decals	One year from the date of original retail purchase
Suspension parts including but not limited to bushings, pivot bearing, link plates, bolts, fasteners, chain stays, seat stays, and shock units	One year from the date of original retail purchase under the condition that the bicycle is regularly maintained as well as operated under normal riding conditions
Labor, frame replacement	One year from the date of original retail purchase
Labor, parts replacement	Thirty days from the date of original retail purchase

1. This warranty only applies to the original retail purchaser and is not transferable

2. Specific model exceptions to this warranty are noted with the bicycle documentation

- Raleigh America, Inc.'s sole obligation during the acceptable duration of this warranty is, <u>AT RALEIGH AMERICA</u>, INC.'S OPTION, to repair or replace the product with a current item that is equivalent in construction, design, or value.
- 4. Raleigh America, Inc.'s liability under this limited warranty shall never exceed the amount of the original purchase

- To obtain service under this warranty, you must: 1. Return your fully assembled Raleigh America, Inc. bicycle to an authorized Raleigh America, Inc. bicycle dealer within the United States of America. A bicycle that has had the components removed cannot be evaluated or warranted.
- \*2. Provide proof of purchase, including but not limited to the retail bill of sale, your credit or debit card receipt, or other satisfactory proof of the date of purchase.
- 3. The proof of purchase must indicate the bicycle was sold fully assembled and adjusted by an authorized Raleigh America, Inc. dealer within the United States of America, Sales where the bicycle was delivered in a carton to the end user (e.g. mail order or Internet sales) void the warranty.

#### This warranty does not apply to damage or failure due to:

- 1. Accidents, alteration, abuse, neglect, 2. Materials fatigue, normal wear and tear
- Improper assembly, maintenance, or installation of parts or accessories not originally intended to be compatible with the bicycle as sold, including but not limited to power assist accessories, forks, brakes, or tires different from original specification.

#### This warranty also excludes:

- 1. Commercial use, racing or competition, stunting, jumping, trick riding, ramp riding, aggressive riding, riding with excessive loads, lack of technical skill, competence, or experience of the user. 2. Bicycle frames, which have been repaired (e.g. welded or bonded), repainted, or had the original decals remo
- 3. Frames, forks, wheels, axles, handlebars, and stems, which are bent from just riding along, can be a sign of
- misuse or abuse and are not covered under this warranty.
- Personal transportation costs or product freight costs to or from an authorized Raleigh America, Inc. bicycle dealer.
   Any additional costs associated with the incompatibility of existing parts and the replacement frame or fork.

Warranty replacement frames must be fully assembled by an authorized dealer to maintain the warranty cover age. The warranty for the replacement frame shall be the warranty offered for the equivalent bicycle's frame of that model year. If not assembled by the dealer, replacement frames are considered aftermarket frames. After market frames are only warranted for one year from the date of purchase for the original purchaser. This one year warranty excludes any issues that can be traced to assembly or component incompatibility.

This warranty is expressly in lieu of all other warranties, and any implied warranties of merchantability or fitness for a particular purpose created hereby, are limited to the same duration as the express warranty herein. Raleigh America, Inc. shall not be liable for any incidental or consequential damages. Some states do not allow the exclusion or limitations of implied warranties, incidental or consequential, so the above limitations and exclusions may not apply to you. Retailers and wholesale outlets for Raleigh America, Inc. products are not authorized to modify this warranty in any way. This warranty gives the original owner specific legal rights. Other additional rights may vary from state to state.

All Diamondback bicycles meet or exceed CPSC standards. Complete equipment is included with each Diamondback bicycle but not necessarily shown in photographs, e.g. reflectors. All Diamondback bicycles are covered under warranty. See your authorized Diamondback dealer for complete details. Diamondback specifications are subject to change without prior notice. Diamondback is a registered trademark of the Raleigh America, Inc. © 2005, Diamondback Bicycles, All rights reserved.

.....

WARNING: All riders depicted in this catalog are professionals. Do not attempt to duplicate any actions that are beyond your abilities. ALWAYS WEAR A HELMET!



Authorized Diamondback Dealer:



Part Number 96-07-521

+-----+



6004 South 190th Street, Suite 101, Kent, Washington 98032 © 2006 Raleigh America, Inc.